

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
5	BRS	L6	30	tuning near fork and shock with damping	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_T DB	2005/12/14 11:53	
6	BRS	L7	1	housing with spring near3 bumper with plastic	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_T DB	2005/12/14 11:54	
7	BRS	L8	54	housing with plastic near3 bumper	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_T DB	2005/12/14 11:54	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L2	124	(248/621).CCLS.	US-PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB	2005/12/1 4 09:50	
2	BRS	L3	2030	(248/560 or 248/562 or 248/615 or 248/619 or 248/621 or 248/632 or 248/634) and (elastomeric or rubber)	US-PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB	2005/12/1 4 09:59	
3	BRS	L4	792	13 and seal\$	US-PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB	2005/12/1 4 11:25	
4	BRS	L5	2	"6540121"	US-PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB	2005/12/1 4 11:51	

	Type	Hits	Search Text	DBs
15	BRS	14304	(computer or plasma or LCD or disc adj drive) and (shock or vibration) near2 (damp\$ or absorb\$ or attenuat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	11356	(computer) and (shock or vibration) near2 (damp\$ or absorb\$ or attenuat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	6374	S33 and (housing or casing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	1381	(computer or plasma or LCD or disc adj drive) and (housing or casing) with (shock or vibration) near2 (damp\$ or absorb\$ or attenuat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	180	(computer or plasma or LCD or disc adj drive) and (housing or casing) with (shock or vibration) near2 (damp\$ or absorb\$ or attenuat\$) and (lug or fender or bumper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	10	elastomeric with sealing with gasket with (vibration or shock) with (damp\$ or attentuat\$ or absorb\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	IS&R	86	(248/671).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	12	("2432295" "2555529" "3469542" "3472363" "3478869" "3654877" "3929272").PN.	US-PGPUB; USPAT; USOCR
23	BRS	15	("3469542").URPN.	USPAT
24	IS&R	242	(248/615).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
1	IS&R	8	("1281846").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	4	("3403713").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	IS&R	3	("4234092").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	IS&R	2	("4836379").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	IS&R	2	("5755331").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	IS&R	0	("shocknear3absorbingneargasket").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	69	shock near3 absorbing near4 gasket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	7	("5530068" "5550712" "5673171" "5867369" "6271604" "6320744" "6324054").PN.	US-PGPUB; USPAT; USOCR
9	IS&R	2	("4955568").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	IS&R	4	("2841353").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	IS&R	2	("6454250").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	IS&R	0	("housingandshocknear3absorbing andfender").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	137	(housing or casing) and shock near3 absorbing and fender	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	15207	(computer or plasma or LCD or disc adj drive) and (shock or vibration) near3 (damp\$ or absorb\$ or attenuat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB